



super blue latex chemical resistance glove

Super Blue chemical resistance glove, blue, full latex coating, cotton lining, sweat absorbing, roughened hence secure grip on wet and dry conditions, oil and grease repellent, good fit, sense of touch and grip security, resistant to chemicals and suitable for use in food, good abrasion resistance, resistant to chemicals, pleasant wearing comfort, length 30 cm

Article-No.: 6240

Product details: super blue latex chemical resistance glove
blue, roughened

Colour: blue

Size: 7,8,9,10,11

Standardize: Category III EN 388:2016 level 4131X, EN ISO 374-1:2016 Typ A AKLMNPST, EN ISO 374-5:2016, EN 407 X2XXXX

Packing Units: 12 pairs / 72 pairs in a carton

Cuff Style: Safety cuff

Protection category PPE: PPE-Kat. III - Category III includes all products that protect against potentially deadly hazards and irreversible injuries to health (complex PPE).

coating type: fully coated

Grip Design: Rough Finish

- ■ ■ ■ □ Abrasion
- □ □ □ □ Cut
- ■ ■ □ □ Tear
- □ □ □ □ Puncture
- ■ ■ ■ ■ Slip resistance
- ■ ■ □ □ Dexterity
- ■ ■ ■ ■ Moisture

EN 388:2016

- Resistance to abrasion: 4
- Blade cut resistance: 1
- Tear resistance: 3
- Puncture resistance: 1
- Blade cut resistance ISO: X

EN 407:2004

- Protection from ignition: X
- Protection from contact heat: 2
- convective heat: X
- Thermal radiation: X
- Droplets of molten metal: X
- Molten metal: X

EN ISO 374-1:2016

- Permeation resistance of type A: at least 30 minutes each with at least 6 test chemicals.

Test chemicals
Permeation level
Degradation in %


- A | K | L | M | N | P | S | T
- 6 | 6 | 4 | 6 | 4 | 6 | 5 | 6
- 12,7 | -83,4 | -62,9 | -66,4 | -82,3 | X | -29,4

EN ISO 374-5:2016

-

Grip: Water
dry

EN 388:2016 EN 407:2004 EN ISO 374-1:2016 EN ISO 374-5:2016



4131X X2XXXX AKLMNPST





Liner:	Cotton
Coating:	Latex
Industry:	Chemical industry / Laboratory Craftsmanship / manufacturing industry
Production method of liner:	Chemical protection Mechanical protection Heat protection
